

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) In a video game, wherein a plurality of possible animated actions can be taken by a game character in response to an input from a user provided through a game controller, a method of controlling game play, comprising:

detecting user input from the game controller requesting an animated action by the player;

reading an adrenaline value from [[a]] an analog control element on the controller indicating a level of aggression desired by the user for the animated action;

selecting an animated action from the plurality of possible animated actions based at least in part on the adrenaline value; [[and]]

performing the selected animated action; and adjusting at least one player parameter related to the selected animated action based on the adrenaline valve,

wherein the parameter influences the success or failure of the action represented by the selected animated action.

2. Cancelled.

3. (Original) The method of claim 1, wherein the video game is a sports video game

4. (Original) The method of claim 3, wherein the sports video game includes a momentum feature that can affect game play, said method further including adjusting a

**BEST AVAILABLE COPY**

momentum value based at least in part on the adrenaline value that is used for an animated action.

5. (Original) The method of claim 3, wherein the sports video game is a basketball game.

6. Cancelled.

7. (Currently Amended) The method of claim [[6]] 1, wherein the at least one player parameter includes a shooting percentage for the player.

a 8. (Currently Amended) The method of claim [[6]] 1, wherein the at least one player parameter includes a foul percentage for the player.

cont 9. (Currently Amended) The method of claim [[6]] 1, wherein the at least one player parameter includes a blocking percentage for the player.

10. (Currently Amended) A method of controlling game play in a video game, wherein a user interactively controls a game character in a virtual environment using a game controller, the method comprising:

defining initial character parameters for the character for use during game play;

detecting user input from the game controller requesting an animated action by the character;

reading an adrenaline value from [[a]] analog control element on the controller indicating a level of aggression desired by the user for the animated action;

adjusting at least one of the initial character parameters based on the adrenaline value; and

**BEST AVAILABLE COPY**

performing the animated action using the at least one adjusted character  
~~parameters~~ parameter, wherein the at least one adjusted character parameter is related to  
the animated action and influences the success or failure of the action depicted by the  
animated action.

11. Cancelled.

12. (Original) The method of claim 10, wherein the video game is a sports  
video game.

a'  
cont  
13. (Original) The method of claim 12, wherein the sports video game includes  
a momentum feature that can affect game play, said method further including adjusting a  
momentum value based at least in part on the adrenaline value that is used for an  
animated action.

14. (Original) The method of claim 12, wherein the sports video game is a  
basketball game.

15. (Original) The method of claim 10, further including adjusting a plurality  
of character parameters based on the adrenaline value.

16. (Original) The method of claim 14, wherein the at least one character  
parameter includes a shooting percentage for the character.

17. (Original) The method of claim 14, wherein the at least one character  
parameter includes a foul percentage for the character.

18. (Original) The method of claim 14, wherein the at least one character  
parameter includes a blocking percentage for the character.

**BEST AVAILABLE COPY**

a'  
concl  
19. (Original) The method of claim 10, wherein the control element is an analog button and adjusting at least one initial character parameter includes scaling the at least one parameter based on a relative position of the analog button at the time the animated action is requested by the player.

---

**BEST AVAILABLE COPY**